



H05 V2-K, H07 V2-K HAR/UL/CSA

Jednožilové vícenormové vodiče se zvýšenou
teplotní odolností

Technické parametry

Objednací číslo	Typ	Barva	RAL	Průřez [mm ²]	Vnější o cca [mm]	Cu [kg/km]	Hmotnost [kg/km]
0164075	H05V2-K, UL-St...	černá	9005	0,5(AWG22)	2.2	4.8	8.6
0164076	H05V2-K, UL-St...	zel/žlutá		0,5(AWG22)	2.2	4.8	8.6
0164077	H05V2-K, UL-St...	modrá	5015	0,5(AWG22)	2.2	4.8	8.6
0164078	H05V2-K, UL-St...	hnědá	8003	0,5(AWG22)	2.2	4.8	8.6
0164079	H05V2-K, UL-St...	rudá	3000	0,5(AWG22)	2.2	4.8	8.6
0164080	H05V2-K, UL-St...	bílá	1013	0,5(AWG22)	2.2	4.8	8.6
0164081	H05V2-K, UL-St...	šedá	7000	0,5(AWG22)	2.2	4.8	8.6
0164082	H05V2-K, UL-St...	fialová	4005	0,5(AWG22)	2.2	4.8	8.6
0164083	H05V2-K, UL-St...	žlutá	1021	0,5(AWG22)	2.2	4.8	8.6
0164084	H05V2-K, UL-St...	růžová	3015	0,5(AWG22)	2.2	4.8	8.6
0164085	H05V2-K, UL-St...	zelená	6018	0,5(AWG22)	2.2	4.8	8.6
0164087	H05V2-K, UL-St...	tmavě modrá	5010	0,5(AWG22)	2.2	4.8	8.6
0164088	H05V2-K, UL-St...	oranžová	2003	0,5(AWG22)	2.2	4.8	8.6
0164091	H05V2-K, UL-St...	černá	9005	0,75(AWG20)	2.4	7.2	11.2
0164092	H05V2-K, UL-St...	zel/žlutá		0,75(AWG20)	2.4	7.2	11.2
0164093	H05V2-K, UL-St...	modrá	5015	0,75(AWG20)	2.4	7.2	11.2
0164094	H05V2-K, UL-St...	hnědá	8003	0,75(AWG20)	2.4	7.2	11.2
0164095	H05V2-K, UL-St...	rudá	3000	0,75(AWG20)	2.4	7.2	11.2
0164096	H05V2-K, UL-St...	bílá	1013	0,75(AWG20)	2.4	7.2	11.2
0164097	H05V2-K, UL-St...	šedá	7000	0,75(AWG20)	2.4	7.2	11.2
0164098	H05V2-K, UL-St...	fialová	4005	0,75(AWG20)	2.4	7.2	11.2
0164099	H05V2-K, UL-St...	žlutá	1021	0,75(AWG20)	2.4	7.2	11.2
0164100	H05V2-K, UL-St...	růžová	3015	0,75(AWG20)	2.4	7.2	11.2
0164101	H05V2-K, UL-St...	zelená	6018	0,75(AWG20)	2.4	7.2	11.2
0164103	H05V2-K, UL-St...	tmavě modrá	5010	0,75(AWG20)	2.4	7.2	11.2
0164104	H05V2-K, UL-St...	oranžová	2003	0,75(AWG20)	2.4	7.2	11.2
0164107	H05V2-K, UL-St...	černá	9005	1,0(AWG18)	2.5	9.6	13.6
0164108	H05V2-K, UL-St...	zel/žlutá		1,0(AWG18)	2.5	9.6	13.6
0164109	H05V2-K, UL-St...	modrá	5015	1,0(AWG18)	2.5	9.6	13.6
0164110	H05V2-K, UL-St...	hnědá	8003	1,0(AWG18)	2.5	9.6	13.6



Objednací číslo	Typ	Barva	RAL	Průřez [mm²]	Vnější o cca [mm]	Cu [kg/km]	Hmotnost [kg/km]
0164112	H05V2-K, UL-St...	bílá	1013	1,0(AWG18)	2.5	9.6	13.6
0164113	H05V2-K, UL-St...	šedá	7000	1,0(AWG18)	2.5	9.6	13.6
0164114	H05V2-K, UL-St...	fialová	4005	1,0(AWG18)	2.5	9.6	13.6
0164115	H05V2-K, UL-St...	žlutá	1021	1,0(AWG18)	2.5	9.6	13.6
0164116	H05V2-K, UL-St...	růžová	3015	1,0(AWG18)	2.5	9.6	13.6
0164117	H05V2-K, UL-St...	zelená	6018	1,0(AWG18)	2.5	9.6	13.6
0164119	H05V2-K, UL-St...	tmavě modrá	5010	1,0(AWG18)	2.5	9.6	13.6
0164120	H05V2-K, UL-St...	oranžová	2003	1,0(AWG18)	2.5	9.6	13.6
0164123	H05V2-K, UL-St...	černá	9005	1,5(AWG16)	3.2	14.4	21.8
0164124	H05V2-K, UL-St...	zel/žlutá		1,5(AWG16)	3.2	14.4	21.8
0164125	H05V2-K, UL-St...	modrá	5015	1,5(AWG16)	3.2	14.4	21.8
0164126	H05V2-K, UL-St...	hnědá	8003	1,5(AWG16)	3.2	14.4	21.8
0164127	H05V2-K, UL-St...	rudá	3000	1,5(AWG16)	3.2	14.4	21.8
0164128	H05V2-K, UL-St...	bílá	1013	1,5(AWG16)	3.2	14.4	21.8
0164129	H05V2-K, UL-St...	šedá	7000	1,5(AWG16)	3.2	14.4	21.8
0164130	H05V2-K, UL-St...	fialová	4005	1,5(AWG16)	3.2	14.4	21.8
0164131	H05V2-K, UL-St...	žlutá	1021	1,5(AWG16)	3.2	14.4	21.8
0164132	H05V2-K, UL-St...	růžová	3015	1,5(AWG16)	3.2	14.4	21.8
0164133	H05V2-K, UL-St...	zelená	6018	1,5(AWG16)	3.2	14.4	21.8
0164135	H05V2-K, UL-St...	tmavě modrá	5010	1,5(AWG16)	3.2	14.4	21.8
0164136	H05V2-K, UL-St...	oranžová	2003	1,5(AWG16)	3.2	14.4	21.8
0164139	H05V2-K, UL-St...	černá	9005	2,5(AWG14)	3.6	24.0	32.0
0164140	H05V2-K, UL-St...	zel/žlutá		2,5(AWG14)	3.6	24.0	32.0
0164141	H05V2-K, UL-St...	modrá	5015	2,5(AWG14)	3.6	24.0	32.0
0164142	H05V2-K, UL-St...	hnědá	8003	2,5(AWG14)	3.6	24.0	32.0
0164143	H05V2-K, UL-St...	rudá	3000	2,5(AWG14)	3.6	24.0	32.0
0164144	H05V2-K, UL-St...	bílá	1013	2,5(AWG14)	3.6	24.0	32.0
0164145	H05V2-K, UL-St...	šedá	7000	2,5(AWG14)	3.6	24.0	32.0
0164146	H05V2-K, UL-St...	fialová	4005	2,5(AWG14)	3.6	24.0	32.0
0164147	H05V2-K, UL-St...	žlutá	1021	2,5(AWG14)	3.6	24.0	32.0
0164148	H05V2-K, UL-St...	růžová	3015	2,5(AWG14)	3.6	24.0	32.0
0164149	H05V2-K, UL-St...	zelená	6018	2,5(AWG14)	3.6	24.0	32.0
0164151	H05V2-K, UL-St...	tmavě modrá	5010	2,5(AWG14)	3.6	24.0	32.0
0164152	H05V2-K, UL-St...	oranžová	2003	2,5(AWG14)	3.6	24.0	32.0
0164155	H05V2-K, UL-St...	černá	9005	4(AWG12)	4.3	38.4	46.5
0164156	H05V2-K, UL-St...	zel/žlutá		4(AWG12)	4.3	38.4	46.5
0164157	H05V2-K, UL-St...	modrá	5015	4(AWG12)	4.3	38.4	46.5
0164158	H05V2-K, UL-St...	hnědá	8003	4(AWG12)	4.3	38.4	46.5
0164159	H05V2-K, UL-St...	rudá	3000	4(AWG12)	4.3	38.4	46.5
0164160	H05V2-K, UL-St...	bílá	1013	4(AWG12)	4.3	38.4	46.5
0164161	H05V2-K, UL-St...	šedá	7000	4(AWG12)	4.3	38.4	46.5
0164162	H05V2-K, UL-St...	fialová	4005	4(AWG12)	4.3	38.4	46.5
0164163	H05V2-K, UL-St...	žlutá	1021	4(AWG12)	4.3	38.4	46.5



Objednací číslo	Typ	Barva	RAL	Průřez [mm²]	Vnější ø cca [mm]	Cu [kg/km]	Hmotnost [kg/km]
0164167	H05V2-K, UL-St...	tmavě modrá	5010	4(AWG12)	4.3	38.4	46.5
0164168	H05V2-K, UL-St...	oranžová	2003	4(AWG12)	4.3	38.4	46.5
0164171	H05V2-K, UL-St...	černá	9005	6(AWG10)	4.8	58.0	67.2
0164172	H05V2-K, UL-St...	zel/žlutá		6(AWG10)	4.8	58.0	67.2
0164173	H05V2-K, UL-St...	modrá	5015	6(AWG10)	4.8	58.0	67.2
0164174	H05V2-K, UL-St...	hnědá	8003	6(AWG10)	4.8	58.0	67.2
0164175	H05V2-K, UL-St...	rudá	3000	6(AWG10)	4.8	58.0	67.2
0164176	H05V2-K, UL-St...	bílá	1013	6(AWG10)	4.8	58.0	67.2
0164177	H05V2-K, UL-St...	šedá	7000	6(AWG10)	4.8	58.0	67.2
0164178	H05V2-K, UL-St...	fialová	4005	6(AWG10)	4.8	58.0	67.2
0164179	H05V2-K, UL-St...	žlutá	1021	6(AWG10)	4.8	58.0	67.2
0164180	H05V2-K, UL-St...	růžová	3015	6(AWG10)	4.8	58.0	67.2
0164181	H05V2-K, UL-St...	zelená	6018	6(AWG10)	4.8	58.0	67.2
0164183	H05V2-K, UL-St...	tmavě modrá	5010	6(AWG10)	4.8	58.0	67.2
0164184	H05V2-K, UL-St...	oranžová	2003	6(AWG10)	4.8	58.0	67.2
0164187	H05V2-K, UL-St...	černá	9005	10(AWG8)	6.5	96.0	128.0
0164188	H05V2-K, UL-St...	zel/žlutá		10(AWG8)	6.5	96.0	128.0
0164189	H05V2-K, UL-St...	modrá	5015	10(AWG8)	6.5	96.0	128.0
0164190	H05V2-K, UL-St...	hnědá	8003	10(AWG8)	6.5	96.0	128.0
0164191	H05V2-K, UL-St...	rudá	3000	10(AWG8)	6.5	96.0	128.0
0164192	H05V2-K, UL-St...	bílá	1013	10(AWG8)	6.5	96.0	128.0
0164193	H05V2-K, UL-St...	šedá	7000	10(AWG8)	6.5	96.0	128.0
0164194	H05V2-K, UL-St...	fialová	4005	10(AWG8)	6.5	96.0	128.0
0164195	H05V2-K, UL-St...	žlutá	1021	10(AWG8)	6.5	96.0	128.0
0164196	H05V2-K, UL-St...	růžová	3015	10(AWG8)	6.5	96.0	128.0
0164197	H05V2-K, UL-St...	zelená	6018	10(AWG8)	6.5	96.0	128.0
0164199	H05V2-K, UL-St...	tmavě modrá	5010	10(AWG8)	6.5	96.0	128.0
0164200	H05V2-K, UL-St...	oranžová	2003	10(AWG8)	6.5	96.0	128.0
0164219	H05V2-K, UL-St...	černá	9005	25(AWG4)	9.9	240.0	291.0
0164220	H05V2-K, UL-St...	zel/žlutá		25(AWG4)	9.9	240.0	291.0
0164221	H05V2-K, UL-St...	modrá	5015	25(AWG4)	9.9	240.0	291.0
0164222	H05V2-K, UL-St...	hnědá	8003	25(AWG4)	9.9	240.0	291.0
0164223	H05V2-K, UL-St...	rudá	3000	25(AWG4)	9.9	240.0	291.0
0164224	H05V2-K, UL-St...	bílá	1013	25(AWG4)	9.9	240.0	291.0
0164225	H05V2-K, UL-St...	šedá	7000	25(AWG4)	9.9	240.0	291.0
0164226	H05V2-K, UL-St...	fialová	4005	25(AWG4)	9.9	240.0	291.0
0164227	H05V2-K, UL-St...	žlutá	1021	25(AWG4)	9.9	240.0	291.0
0164228	H05V2-K, UL-St...	růžová	3015	25(AWG4)	9.9	240.0	291.0
0164229	H05V2-K, UL-St...	zelená	6018	25(AWG4)	9.9	240.0	291.0
0164231	H05V2-K, UL-St...	tmavě modrá	5010	25(AWG4)	9.9	240.0	291.0
0164232	H05V2-K, UL-St...	oranžová	2003	25(AWG4)	9.9	240.0	291.0
0164235	H05V2-K, UL-St...	černá	9005	35(AWG2)	11.3	336.0	390.0
0164236	H05V2-K, UL-St...	zel/žlutá		35(AWG2)	11.3	336.0	390.0



Objednací číslo	Typ	Barva	RAL	Průřez [mm²]	Vnější ø cca [mm]	Cu [kg/km]	Hmotnost [kg/km]
0164239	H05V2-K, UL-St...	rudá	3000	35(AWG2)	11.3	336.0	390.0
0164240	H05V2-K, UL-St...	bílá	1013	35(AWG2)	11.3	336.0	390.0
0164241	H05V2-K, UL-St...	šedá	7000	35(AWG2)	11.3	336.0	390.0
0164242	H05V2-K, UL-St...	fialová	4005	35(AWG2)	11.3	336.0	390.0
0164243	H05V2-K, UL-St...	žlutá	1021	35(AWG2)	11.3	336.0	390.0
0164244	H05V2-K, UL-St...	růžová	3015	35(AWG2)	11.3	336.0	390.0
0164245	H05V2-K, UL-St...	zelená	6018	35(AWG2)	11.3	336.0	390.0
0164247	H05V2-K, UL-St...	tmavě modrá	5010	35(AWG2)	11.3	336.0	390.0
0164248	H05V2-K, UL-St...	oranžová	2003	35(AWG2)	11.3	336.0	390.0
0164203	X07V2-K, UL-St...	černá	9005	16(AWG6)	8.6	154.0	192.0
0164204	X07V2-K, UL-St...	zel/žlutá		16(AWG6)	8.6	154.0	192.0
0164205	X07V2-K, UL-St...	modrá	5015	16(AWG6)	8.6	154.0	192.0
0164206	X07V2-K, UL-St...	hnědá	8003	16(AWG6)	8.6	154.0	192.0
0164207	X07V2-K, UL-St...	rudá	3000	16(AWG6)	8.6	154.0	192.0
0164208	X07V2-K, UL-St...	bílá	1013	16(AWG6)	8.6	154.0	192.0
0164209	X07V2-K, UL-St...	šedá	7000	16(AWG6)	8.6	154.0	192.0
0164210	X07V2-K, UL-St...	fialová	4005	16(AWG6)	8.6	154.0	192.0
0164211	X07V2-K, UL-St...	žlutá	1021	16(AWG6)	8.6	154.0	192.0
0164212	X07V2-K, UL-St...	růžová	3015	16(AWG6)	8.6	154.0	192.0
0164213	X07V2-K, UL-St...	zelená	6018	16(AWG6)	8.6	154.0	192.0
0164215	X07V2-K, UL-St...	tmavě modrá	5010	16(AWG6)	8.6	154.0	192.0
0164216	X07V2-K, UL-St...	oranžová	2003	16(AWG6)	8.6	154.0	192.0
0164251	X07V2-K, UL-St...	černá	9005	50(AWG1)	13.5	480.0	530.0
0164252	X07V2-K, UL-St...	zel/žlutá		50(AWG1)	13.5	480.0	530.0
0164253	X07V2-K, UL-St...	modrá	5015	50(AWG1)	13.5	480.0	530.0
0164254	X07V2-K, UL-St...	hnědá	8003	50(AWG1)	13.5	480.0	530.0
0164255	X07V2-K, UL-St...	rudá	3000	50(AWG1)	13.5	480.0	530.0
0164256	X07V2-K, UL-St...	bílá	1013	50(AWG1)	13.5	480.0	530.0
0164257	X07V2-K, UL-St...	šedá	7000	50(AWG1)	13.5	480.0	530.0
0164258	X07V2-K, UL-St...	fialová	4005	50(AWG1)	13.5	480.0	530.0
0164259	X07V2-K, UL-St...	žlutá	1021	50(AWG1)	13.5	480.0	530.0
0164260	X07V2-K, UL-St...	růžová	3015	50(AWG1)	13.5	480.0	530.0
0164261	X07V2-K, UL-St...	zelená	6018	50(AWG1)	13.5	480.0	530.0
0164263	X07V2-K, UL-St...	tmavě modrá	5010	50(AWG1)	13.5	480.0	530.0
0164264	X07V2-K, UL-St...	oranžová	2003	50(AWG1)	13.5	480.0	530.0
0164267	X07V2-K, UL-St...	černá	9005	70(AWG2/0)	15.6	672.0	755.0
0164268	X07V2-K, UL-St...	zel/žlutá		70(AWG2/0)	15.6	672.0	755.0
0164269	X07V2-K, UL-St...	modrá	5015	70(AWG2/0)	15.6	672.0	755.0
0164270	X07V2-K, UL-St...	hnědá	8003	70(AWG2/0)	15.6	672.0	755.0
0164271	X07V2-K, UL-St...	rudá	3000	70(AWG2/0)	15.6	672.0	755.0
0164272	X07V2-K, UL-St...	bílá	1013	70(AWG2/0)	15.6	672.0	755.0
0164273	X07V2-K, UL-St...	šedá	7000	70(AWG2/0)	15.6	672.0	755.0
0164274	X07V2-K, UL-St...	fialová	4005	70(AWG2/0)	15.6	672.0	755.0



Objednací číslo	Typ	Barva	RAL	Průřez [mm²]	Vnější o cca [mm]	Cu [kg/km]	Hmotnost [kg/km]
0164277	X07V2-K, UL-St...	zelená	6018	70(AWG2/0)	15.6	672.0	755.0
0164279	X07V2-K, UL-St...	tmavě modrá	5010	70(AWG2/0)	15.6	672.0	755.0
0164280	X07V2-K, UL-St...	oranžová	2003	70(AWG2/0)	15.6	672.0	755.0
0164283	X07V2-K, UL-St...	černá	9005	95(AWG3/0)	17.8	912.0	930.0
0164284	X07V2-K, UL-St...	zel/žlutá		95(AWG3/0)	17.8	912.0	930.0
0164285	X07V2-K, UL-St...	modrá	5015	95(AWG3/0)	17.8	912.0	930.0
0164286	X07V2-K, UL-St...	hnědá	8003	95(AWG3/0)	17.8	912.0	930.0
0164287	X07V2-K, UL-St...	rudá	3000	95(AWG3/0)	17.8	912.0	930.0
0164288	X07V2-K, UL-St...	bílá	1013	95(AWG3/0)	17.8	912.0	930.0
0164289	X07V2-K, UL-St...	šedá	7000	95(AWG3/0)	17.8	912.0	930.0
0164290	X07V2-K, UL-St...	fialová	4005	95(AWG3/0)	17.8	912.0	930.0
0164291	X07V2-K, UL-St...	žlutá	1021	95(AWG3/0)	17.8	912.0	930.0
0164292	X07V2-K, UL-St...	růžová	3015	95(AWG3/0)	17.8	912.0	930.0
0164293	X07V2-K, UL-St...	zelená	6018	95(AWG3/0)	17.8	912.0	930.0
0164295	X07V2-K, UL-St...	tmavě modrá	5010	95(AWG3/0)	17.8	912.0	930.0
0164296	X07V2-K, UL-St...	oranžová	2003	95(AWG3/0)	17.8	912.0	930.0
0164299	X07V2-K, UL-St...	černá	9005	120(AWG4/0)	20.8	1152.0	1175.0
0164300	X07V2-K, UL-St...	zel/žlutá		120(AWG4/0)	20.8	1152.0	1175.0
0164301	X07V2-K, UL-St...	modrá	5015	120(AWG4/0)	20.8	1152.0	1175.0
0164302	X07V2-K, UL-St...	hnědá	8003	120(AWG4/0)	20.8	1152.0	1175.0
0164303	X07V2-K, UL-St...	rudá	3000	120(AWG4/0)	20.8	1152.0	1175.0
0164304	X07V2-K, UL-St...	bílá	1013	120(AWG4/0)	20.8	1152.0	1175.0
0164305	X07V2-K, UL-St...	šedá	7000	120(AWG4/0)	20.8	1152.0	1175.0
0164306	X07V2-K, UL-St...	fialová	4005	120(AWG4/0)	20.8	1152.0	1175.0
0164307	X07V2-K, UL-St...	žlutá	1021	120(AWG4/0)	20.8	1152.0	1175.0
0164308	X07V2-K, UL-St...	růžová	3015	120(AWG4/0)	20.8	1152.0	1175.0
0164309	X07V2-K, UL-St...	zelená	6018	120(AWG4/0)	20.8	1152.0	1175.0
0164311	X07V2-K, UL-St...	tmavě modrá	5010	120(AWG4/0)	20.8	1152.0	1175.0
0164312	X07V2-K, UL-St...	oranžová	2003	120(AWG4/0)	20.8	1152.0	1175.0
0164315	X07V2-K, UL-St...	černá	9005	150(AWG5/0)	22.2	1440.0	2085.0
0164316	X07V2-K, UL-St...	zel/žlutá		150(AWG5/0)	22.2	1440.0	2085.0
0164317	X07V2-K, UL-St...	modrá	5015	150(AWG5/0)	22.2	1440.0	2085.0
0164318	X07V2-K, UL-St...	hnědá	8003	150(AWG5/0)	22.2	1440.0	2085.0
0164319	X07V2-K, UL-St...	rudá	3000	150(AWG5/0)	22.2	1440.0	2085.0
0164320	X07V2-K, UL-St...	bílá	1013	150(AWG5/0)	22.2	1440.0	2085.0
0164321	X07V2-K, UL-St...	šedá	7000	150(AWG5/0)	22.2	1440.0	2085.0
0164322	X07V2-K, UL-St...	fialová	4005	150(AWG5/0)	22.2	1440.0	2085.0
0164323	X07V2-K, UL-St...	žlutá	1021	150(AWG5/0)	22.2	1440.0	2085.0
0164324	X07V2-K, UL-St...	růžová	3015	150(AWG5/0)	22.2	1440.0	2085.0
0164325	X07V2-K, UL-St...	zelená	6018	150(AWG5/0)	22.2	1440.0	2085.0
0164327	X07V2-K, UL-St...	tmavě modrá	5010	150(AWG5/0)	22.2	1440.0	2085.0
0164328	X07V2-K, UL-St...	oranžová	2003	150(AWG5/0)	22.2	1440.0	2085.0